

Upgrade to IIoT?With ease wireless!

Bluetooth mesh system for easy retrofitting

- Sensors can be connected subsequently to the IT level without complex wiring
- Easy retrofitting and digitalisation of extensive systems
- New nodes can be incorporated via smartphone
- Password protection for your data security









ifm - close to you!

Description	Order no.
Bluetooth mesh IO-Link adapter	EIO344
Bluetooth mesh IoT base station	EIO404

Simp	le di	nitisation	in the	inventory

With the Bluetooth mesh system, you can easily evaluate sensor data from your existing system at the IT level. Use the information gained in this way to increase the efficiency of your system – with considerably reduced wiring complexity.

Up to 50 sensors in a mesh network

Starting from a base station, which is the interface for bidirectional communication with the IT level, up to 50 Bluetooth adapters communicate with each other in encrypted form. Even data packets from the most remote sensors are securely transmitted wirelessly to the base station via the resulting mesh network, which can span the entire system. The adapters can be screwed directly onto the sensor and are supplied with power via the existing cable. Depending on local conditions, the mesh nodes can be up to 20 metres apart, making the system suitable for large installations.

Convenient network management


You can easily manage the mesh network using our moneo software or the free **moneo|blue** smartphone app. Add new nodes, read out data or configure the sensors as required.

You can find more about setting up and managing the mesh network and further details about the Bluetooth mesh system on our website.



Discover and download **moneolblue** now.

Technical data				
Maximum number of nodes	50			
Maximum distance between nodes [m]	20			
Encryption standard	AES128			
Protection class Base station Adapter	IP67 IP69K			



BEST FRIENDS

We reserve the right to make technical alterations without prior notice. • 04.2023 fine electronic gmbh • Friedrichstr. 1 • 45128 Essen



moneo RTM
Analysis software for simple condition monitoring



moneo|blue Manage IO-Link devices conveniently via the smartphone app



VVB vibration sensor Easy condition monitoring via IO-Link

